



## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SLB	Scaff Lifting bag		Size:51cm*33mm Material :Heavy duty waterproof woven SWL: 50kgs Color:Blue in stock
SS-TCL	Tools Coil Lanyard		Length:42cm to 125cm load capacity:6kgs 50pcs/bag
SS-TCL01	Tools Coil Lanyard		Length:42cm to 125cm load capacity:6kgs 50pcs/bag
SS-TBL	Tools Bungee Lanyard		Paking:50pcs/bag Width:2cm Extended:80cm- 110cm Max capacity:6kgs
SS-TBL01	Tools Bungee Lanyard		Paking:50pcs/bag Width:2cm Extended:90cm- 110cm Max capacity:10kgs Auto lock carabiner
SS-TBL02	Tool Bungee Lanyard		Paking:50pcs/bag Width:2cm Extended:90cm- 110cm Max capacity:10kgs Auto lock carabiner
SS-WBTL	Wrist band tool lanyard		Poly webbing cuff Packing:50pcs/bag Wrist width:2cm Max capacity:3.0kg

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-WTL	Wrist tool lanyard		Poly webbing cuff Packing:50pcs/bag Wrist size:18 cm-22cm Max capacity:3.0kg
SS-HHL	Hard Hat Lanyard		Packing:50pcs/bag Size:2cm* 50cm capacity:3.0kg
SS-HHL01	Hard Hat Lanyard		Packing:50pcs/bag Size:4mm* 50cm capacity:5.0kg
SS-SSL	Scaffolders Spirit Level		10"(25cm) Made in Israel
SS-STSL	STABILA Spirit Level		10"(25cm) Made in Germany
SS-SSL01	Scaffolders Spirit Level		10"(25cm)
SS-STBFK	Scaffolding Tools Belt&frog Kits		Tan/brown/black can print customer's logo (no tools,only leather items)
SS-LB	Leather Belt		Made of superior cowhide 4.0mm thick 120cm-130mm X 46mm width

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SLF	Spirit level frog		Made of superior cowhide 4mm thick for 10" level(with Stud Fastening)
SS-SF	Single frog		Made of superior cowhide 4mm thick
SS-DF	Double frog		Made of superior cowhide 4mm thick
SS-DF01	Double frog		Made of superior cowhide 3.2mm thick
SS-MTH	Measure tape holder		Made of superior cowhide 4mm thick for 5M measure tape
SS-MTH01	Measure tape holder		Made of superior cowhide 3.2mm thick for 5M measure tape

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-HH	Hammer holder		Made of superior cowhide 4mm thick, hook inner dia 5mm
SS-PNF	Plier (nipps) frog		Made of superior cowhide 4mm thick
SS-CG	Cut 5 glove		100/carton
SS-GAICR	Glove Anti Impact Cut Resistant 5	 	100/carton
SS-SCWG	Spilit cowhide welding glove		14" With pipping & without pipping inside lining
SS-SCWG01	Spilit cowhide welding glove		Quality :A. AB - Grade With Rubbrised Cuff.

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-GCLT	GLOVE CLIP (loop type)		10pcs/box 500pcs/carton 10.50kgs/carton
SS-GCBT	GLOVE CLIP (belt type)		10pcs/box 500pcs/carton 11.50kgs/carton
SS-ACC	ALLHOLD CATCHER CLIP		8pcs/box 400pcs/carton 14.00kgs/carton
SS-CH	Cable Hook		245mm*45mm
SS-CH	Cable Hook		195mm*115mm
SS-RTSH	RicoTech Safety harness		CE,ANSI certificate EN361-2002, ANSI Z359.1-2007, GB6095 2009 .High strength reflective webbing breaking force more than 30KN.

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-RTSH01	RicoTech Safety harness		CE,ANSI certificate EN361-2002, ANSI Z359.1-2007, GB6095 2009 .High strength reflective webbing breaking force more than 30KN
SS-RTSH02	RicoTech Safety harness		CE,ANSI certificate, EN361-2002, ANSI Z359.1-2007, GB6095 2009 .High strength reflective webbing breaking force more than 30KN.
SS-RTSH03	RicoTech Safety harness		CE,ANSI certificate EN361-2002, ANSI Z359.1-2007, GB6095-2009 .High strength reflective webbing breaking force more than 30KN.
SS-RTSH04	RicoTech Safety harness		CE,ANSI certificate EN361-2002, ANSI Z359.1-2007, GB6095-2009 .High strength reflective webbing breaking force more than 30KN
SS-RTL	RicoTech Lanyard		Certified by EN354-2010 and GB24543-2009. Dia 12mm rope. Total length: 1.5m

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-RTL01	RicoTech Lanyard		Certified by EN355-2002 and GB/T24538-2009. Dia 12mm rope. Total length: 1.8m
SS-RTL02	RicoTech Lanyard		Certified by EN358-1999 and GB/T24538-2009. Total length: 1.8m
SS-RTL03	RicoTech Lanyard		Certified by EN355-2002 and GB/T24538-2009. Dia 12mm rope, two ropes. Total length: 1.8m
SS-RTL04	RicoTech Harness Lanyard kit		1831000-4, 1858015 and 1858009M, backbag
SS-SHWL	Safety Harness with lanyard		
SS-NFFHH	Neck flap for Hard hat		Designed for outdoor work, and anytime you are expos to harmful UV rays.









# ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SH	Sun hat		Designed for outdoor work, and anytime you are expos to harmful UV rays.
SS-SV	Safety vest		ID card holder 1 mobile phone holder 2 pen holder 2 lower pockets 1 interphone holder
SS-SB	Seat Band		tied around the forehead to absorb sweat when working
SS-SIG	Safety impact glasses		3M brand Anti-Fog meet ANSI Z87.1-2010
SS-EM	Ear Muff (hard hat style)		DELTAPLUS brand SNR 32
SS-WT	Warning tape		7.5cm * 100M

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SSTK	Scaffolding Safety Tag Kits		Holder-10 pcs Insert card-20 pcs Nylon cable-20pcs Mark pen-1 pcs
SS-AMSTTK	Aluminum Mobile Scaffold Tower Tag Kits		Holder-10 pcs Insert card-20 pcs Nylon cable-20pcs Mark pen-1 pcs
SS-MT	Microtag		1 holder+1 inset
SS-LTK	Ladder Tag Kits		Holder-20 pcs Insert card-40 pcs Nylon cable-40pcs Mark pen-1 pc
SS-LSTT	Large Scaff/ Tower Tag		Size 35cm*15.6cm The top hook can open
SS-TTBT	Toggle Tie/ Bungee Ties		100pcs /box
SS-SS	Scaffold sheeting		100% virgin HDPE,2m*45m roll with UV and FR Weight: 150 to 300g/sqm Eyehole 10cm apart Reinforced band wide 7cm Grid 9X9mm  (Quotation upon your size)

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-DN	Debris netting		100% virgin HDPE +UV 5% 2m*50m or 3M*50M roll or other size Weight: 100g to 350g/sqm shade rate: 40%-95% Color:Green,black,blue, range etc..
SS-SCM	Scaffmesh	 	100% virgin HDPE+UV 3% shade cloth 180g/sqm Grid made of HDPE with fiberglass steel wire inside to reinforced. Grid Size:5.5cm x 5.5cm. Size:1.8M*10M or 15M Color:Green,black,blue,red.
SS-SSG	Scaffgrid		Grid made of 100% virgin HDPE with fiberglass or steel wire inside to reinforced, Grid Size:5.5cm x 5.5cm. Size:1.8M*10M or 15M Color:Green,black,red,blue.
SS-BG	Brick guard		Size:1010mm*920mm height Weight:1.28kgs/pc
SS-SW	Shrink wrap		1M-8M width ,any length 50 to 300micron thickness UV 3% ,fire resistant <b>(Quotation upon your size)</b>
SS-SWC	Shrink wrap Clip	 	30mm*1mm thickness dia 48mm galvanized and reusable 100pcs/pack









## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SNFD	Scaffold netting fasten Driver		KingStone Fasten Driver
SS-RSC	Reusable steel clip		500pcs/bucket 9.00kgs/bucket
SS-CT	Cable Tie		300mm*4.0mm 380mm*7.6mm black and white 100pcs/bag
SS-STEC	Scaffolding Tube End Cap 48.3		100pcs /bag
SS-SFBC	Scaffolding Fitting Bolt Cap		1000pcs /bag
SS-SCC	Scaffold coupler cover		300pcs/carton

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SCC	Scaffold coupler cover		300pcs/carton
SS-STP	Scaffolding Tredda Plates		Hi-Vis Yellow 100 Per carton
SS-SSP	Scaff Safety Pad		Designed to cover impact hazards on work sites Flameproof, Waterproof, size:25cm*11cm*5cm
SS-STF	Scaff tube foam		size: inner dia 48.3mm thickness 10mm length 2M
SS-SSS	Safety Sign stand		size: 800mm*600mm
SS-SFRS	Scaffold flat Ratchet		6pcs/box Spanner (45# Steel) 19X21mm ,19X24mm 21X23mm,21X24mm, other
SS-SRS	Scaffold Ratchet		6pcs/box Spanner (45# Steel) 19X21mm ,19X24mm 21X22mm, 17X21mm,other

## ITEMS RELATE TO SCAFFOLDING

Item No.	Specification	Picture	Contains (box)
SS-SRS	Scaffold Ratchet		6pcs/box Spanner (45# Steel) 19X21mm ,19X24mm 21X23mm,21X24mm, other
SS-SPS	Scaffold Podger		6pcs/box spanner (45 steel) 21/22/24 mm /7/16" Bi hex
SS-CH	Carpenter hammer		2pcs/box
SS-SPH	Scaffold Podger Hammer		4pcs/box
SS-NC	Nips cutter		CR-V 200mm 5pcs/box
SS-SMT	Scaffold Measure tape		5M*19mm
SS-SMT	Scaffold Measure tape		5M*25mm
SS-GW	Gin wheel		max. load 250kg Suits 20mm Fall Rope